



NOVOFERM SCHIEVANO S.R.L.

Via Alessandro Volta,1  
35012 Camposampiero - PD - Italy  
Tel. +39.049.9315111  
Fax. +39.049.9301877  
mail novoferm@novoferm.it  
web www.novoferm.it

Cap. Soc. €8.000.000 i.v.  
R.E.A. PD 342894  
C.F. Iscr. R.I. PD  
P.I. IT 03860190283  
Soc. uninom. soggetta a direzione  
e coord. di Novoferm Europe Ltd

ISO 9001:2008  
Certificato n° 849  
Istituto Giordano spa  
CQOP SOA Cat. OS6 II  
Attest. n° 35504/10/00

# DECLARATION OF PERFORMANCE

## DOP N° 06/13

- Product Name** „Elite+ Metal EXT 0“ door
- Product Type: External pedestrian door
  - Product ID: Elite+ Metal EXT 0
  - Usò previsto: Door for external installation, on emergency escape route
  - Producer: Novoferm Schievano Srl  
Via Volta n° 1, 35012 – Camposampiero (PD) Italia
  - AVCP System (formerly SAC) : 1  
Evaluation and Verification of Constancy of Performance)
  - Notified Body: Istituto Giordano Spa – notified Body Nr. 0407  
Via Rossini,2 - 47814 Bellaria-Igea Marina (RN) Italia  
Cert.: 0407-CPR-578 (IG-202-2012)
  - Performances: Reference Norm - EN 14351-1:2006+A1:2010

Req. CPR	Caratteristica	Classe di prestazione	Punti di rif. norma
1	Resistance to wind load	C3	4.02
3	Watertightness	NPD	4.5 and 4.15
14	Air permeability	NPD	4.14 e 4.15
5	Dangerous substances	Conforme	4.06
8	Height and Width	(**)	4.09
9	Ability to release	Conforme	4.10 e 4.15
10	Acoustic performance	NPD	4.11
11	Thermal transmittance	(*)	4.12 and 4.15

- (\*) **1,7W/m<sup>2</sup>K for doors with area smaller than 3,6 m<sup>2</sup>**  
 (\*) **1,4 W/m<sup>2</sup>K for doors with area greater than 3,6 m<sup>2</sup>**  
 (\*\*) **for details see the label on the product**

**N.B. The other performances listed in Table 2 of UNI EN 14351-1:2010 and not mentioned in this DOP are to be considered as NPD.**

- The product identified at points 1 and 2 comply with performances declared at point 7. This Declaration of Performance is released under the responsibility of the Producer, listed at point 4.

Camposampiero - 27/06/2015

Managing Director  
(Dr. Francescato Mario)